

NÚMERO	PUBLICAÇÕES - PROF. DACHAMIR HOTZA
1	DA SILVA, ANDRE LUIZ ; Hotza, Dachamir ; CASTRO, RICARDO H.R. . Surface energy effects on the stability of anatase and rutile nanocrystals: A predictive diagram for Nb2O5-doped-TiO2. <i>Applied Surface Science</i> , v. 393, p. 103-109, 2017.
2	DAL BÓ, MARCELO ; CANTAVELLA, VICENTE ; SANCHÉZ, ENRIQUE ; GILABERT, FRANCISCO A. ; BOSCHI, ANSELMO O. ; <b>Hotza, Dachamir</b> . An estimate of quartz content and particle size in porcelain tiles from young's modulus measurements. <i>Ceramics International</i> , v. 43, p. 2233-2238, 2017.
3	RACHADEL, PRISCILA LEMES ; MOTUZAS, JULIUS ; MACHADO, RICARDO A.F. ; <b>Hotza, Dachamir</b> ; DINIZ DA COSTA, JOÃO C. . Influence of porous structures on O2 flux of BSCF asymmetric membranes. <i>Separation and Purification Technology (Print)</i> , v. 175, p. 164-169, 2017.
4	BAY DE S., GRACIANO ; DE SOUZA, LUCIANA V. ; <b>Hotza, Dachamir</b> ; Rambo, Carlos R. . Amorphous SiO2 ambigels as hosts for simulated PWR multicomponent nuclear waste. <i>Journal of Non-Crystalline Solids</i> , v. 461, p. 67-71, 2017.
5	GÓMEZ, S.Y. ; DA SILVA, A.L. ; GOUVÊA, D. ; CASTRO, R.H.R. ; HOTZA, D. . Nanocrystalline yttria-doped zirconia sintered by fast firing. <i>Materials Letters (General ed.)</i> , v. 166, p. 196-200, 2016.
6	CAMARGO, M.T.T. ; QUENTIN, J. ; CALIMAN, L.B. ; MIAGAVA, J. ; HOTZA, D. ; CASTRO, R.H.R. ; GOUVÊA, D. . Synthesis of Ca-doped Spinel by Ultrasonic Spray Pyrolysis. <i>Materials Letters (General ed.)</i> , v. 171, p. 232-235, 2016.
7	STAFFORD, FERNANDA N. ; DIAS, ANA C. ; ARROJA, LUÍS ; LABRINCHA, JOÃO A. ; Hotza, Dachamir . Life cycle assessment of the production of Portland cement: A Southern Europe case study. <i>Journal of Cleaner Production</i> , v. 2016, p. X, 2016.
8	ARAUJO, P. F. ; DAROS, L. B. ; SOUZA, M. ; GARCIA, D. E. ; HOTZA, D. . Influence of Sintering Conditions on the Microstructure and Properties of Alumina-Filled Borosilicate Glass. <i>Journal of Ceramic Science and Technology</i> , v. 7, p. 119-126, 2016.
9	GUGLIELMI, P. O. ; GARCIA, D. E. ; HABITZEL, M. P. ; BLAESE, D. ; GOULART, D. A. P. ; BORCHERT, A. ; <b>Hotza, Dachamir</b> ; JANSEN, R. . Processing of all-oxide ceramic matrix composites with RBAO matrices. <i>Journal of Ceramic Science and Technology</i> , v. 7, p. 87-96, 2016.
10	GÓMEZ, SERGIO YESID ; Hotza, Dachamir . Current developments in reversible solid oxide fuel cells. <i>Renewable &amp; Sustainable Energy Reviews</i> , v. 61, p. 155-174, 2016.
11	SILVESTRI, SIARA ; SZPOGANICZ, BRUNO ; SCHULTZ, JULIANA ; MANGRICH, ANTONIO S. ; Hotza, Dachamir ; GARCÍA, DANIEL E. ; LABRINCHA, JOÃO A. . Doped and undoped anatase-based plates obtained from paper templates for photocatalytic oxidation of NOX. <i>Ceramics International</i> , v. 2016, p. 1-10, 2016.
12	CARRIJO, MYLENA MAYARA MATIAS ; LORENZ, HANNES ; FILBERT-DEMUT, INA ; DE OLIVEIRA BARRA, GUILHERME MARIZ ; Hotza, Dachamir ; YIN, XIAOWEI ; GREIL, PETER ; TRAVITZKY, NAHUM . Fabrication of Ti3SiC2-based composites via three-dimensional printing: Influence of processing on the final properties. <i>Ceramics International</i> , , v. 42, p. 9557-9564, 2016.
13	GÓMEZ, S. Y. ; GURAUSKIS, J. ; ØYGARDEN, V. ; <b>HOTZA, D.</b> ; GRANDE, T. ; WIIK, K. . Synthesis and oxygen transport properties of La <sub>2-y</sub> Sr <sub>y</sub> Ni <sub>1-x</sub> Mo <sub>x</sub> O <sub>4+δ</sub> . <i>Solid State Ionics (Print)</i> , v. 292, p. 38-44, 2016.
14	STAFFORD, FERNANDA N. ; RAUPP-PEREIRA, FABIANO ; LABRINCHA, JOÃO A. ; <b>Hotza, Dachamir</b> . Life cycle assessment of the production of cement: A Brazilian case study. <i>Journal of Cleaner Production</i> , v. 137, p. 1293-1299, 2016.
15	BÓ, MARCELO DAL ; DOMINGUINI, LUCAS ; ZIMMER, ANDRÉ ; GRANDO, SÍLVIA R. ; KASPARI, PALOMA ; Hotza, Dachamir . Chemical Tempering of Porcelain Tiles. <i>Ceramics International</i> , v. 42, p. 15199-15202, 2016.
16	MESQUITA-GUIMARÃES, J. ; LEITE, M.A. ; SOUZA, J.C.M. ; HENRIQUES, B. ; SILVA, F.S. ; HOTZA, D. ; BOCCACCINI, A.R. ; FREDEL, M.C. . Processing and strengthening of 58S Bioactive Glass-Infiltrated Titania Scaffolds. <i>Journal of Biomedical Materials Research. Part A</i> , v. 2016, p. 2016, 2016.
17	PELEGRIINI, L. ; RODRIGUES NETO, JOÃO BATISTA ; <b>HOTZA, D.</b> . Process and materials improvements on Ni/Cu-YSZ composites towards nanostructured SOFC anodes: a review. <i>REVIEWS ON ADVANCED MATERIALS SCIENCE</i> , v. 46, p. 6-21, 2016.
18	PELEGRIINI, LEANDRO ; VIEIRA JUNIOR, LUIZ ELOI ; RODRIGUES NETO, JOÃO BATISTA ; Hotza, Dachamir . Direct coagulation casting of nano-8YSZ powder suspensions using nano-MgO as coagulating agent. <i>Ceramics International</i> , v. 2016, p. 2016, 2016, , v. 127, p. 980-990, 2016.

- 19 DELAVI, DEYSE GONZAGA GOMES ; GARCÍA-TEN, JAVIER ; SABURIT, ALEJANDRO ; ESCRIG, ALBERTO ; DE NONI, AGENOR ; Hotza, Dachamir . Influencia de las tensiones residuales sobre el comportamiento frente al corte del gres porcelánico esmaltado. *BOLETIN DE LA SOCIEDAD ESPANOLA DE CERAMICA Y VIDRIO*, v. 55, p. 143-151, 2016.
- 20 DAL BÓ, MARCELO ; ZIMMER, ANDRÉ ; GRANDO, SÍLVIA REGINA ; KASPAKI, PALOMA ; **Hotza, Dachamir** . Incremento de resistencia mecánica en materiales de gres porcelánico a partir de tratamiento químico de intercambio iónico. *BOLETIN DE LA SOCIEDAD ESPANOLA DE CERAMICA Y VIDRIO*
- 21 SANCHES, MARIANA FERREIRA ; VITORINO, NUNO MIGUEL DIAS ; ABRANTES, JOÃO CARLOS DE CASTRO ; FRADE, JORGE RIBEIRO ; NETO, JOÃO B. RODRIGUES ; Hotza, Dachamir . Rheological Behavior of Paraffin-Alumina Emulsions and their Microstructural Effects. *Materials Science Forum (Online)*, v. 869, p. 85-90, 2016.
- 22 REY-MAFULL, CARLOS A ; LLÓPIZ, JULIO C ; **Hotza, Dachamir** ; GARCIA, RAQUEL . Thermodynamic process of theophylline adsorption in vitro on to activated carbon in simulated gastric fluid. *Revista Cubana de Química*, v. 28, p. 1-20, 2016.
- 23 VIEIRA JUNIOR, LUIZ ELOI ; KLEINJOHANN, KEILA CHRISTINA ; RODRIGUES NETO, JOÃO BATISTA ; KLEIN, ALOÍSIO NELMO ; **Hotza, Dachamir** ; MORENO, RODRIGO . Dip coating of a carbon steel sheet with Ni reinforced TiO<sub>2</sub> nanoparticles. *Materials Research (São Carlos. On-line)*, v. 19, p. 648-653, 2016.
- 24 VIEIRA JUNIOR, LUIZ ELOI ; RODRIGUES NETO, JOÃO BATISTA ; KLEIN, ALOÍSIO NELMO ; **Hotza, Dachamir** ; MORENO, RODRIGO . Produção e caracterização de uma liga Fe-Ni obtida por processamento coloidal aquoso e reação de estado sólido. *Matéria (UFRJ)*, v. 21, p. 921-929, 2016.
- 25 GRANADOS, L. ; MORENO, V. ; VIEIRA, L. E. ; ESCOBAR, J. A. ; **Hotza, D.** ; NOVAES DE OLIVEIRA, A. P. ; RODRIGUES-NETO, J. B. . Alumina/copper foams produced by replica using a double impregnation process. *Advances in Applied Ceramics*, v. 115, p. 1-7, 2016.
- 26 SENFF, L. ; MODOLI, R.C.E. ; Tobaldi, D.M. ; ASCENÇÃO, G. ; **HOTZA, D.** ; Ferreira, V.M. ; Labrincha, J.A. . The influence of TiO<sub>2</sub> nanoparticles and poliacrylonitrile fibers on the rheological behavior and hardened properties of mortars. *Construction & Building Materials*, v. 75, p. 315-330, 2015.
- 27 SILVESTRI, SIARA ; SZPOGANICZ, BRUNO ; Hotza, Dachamir ; LABRINCHA, JOÃO A. . Synthesis of biomorphic paper-derived anatase. *Materials Letters (General ed.)*, v. 141, p. 275-279, 2015.
- 28 MINATTO, F. D. ; MILAK, P. ; DE NONI, A. ; **HOTZA, D.** ; MONTEDO, O. R. K. . Multilayered ceramic composites - a review. *Advances in Applied Ceramics*, v. 114, p. 127-138, 2015.
- 29 BLAESE, DIEGO ; GARCIA, DANIEL E. ; GUGLIELMI, PAULA ; Hotza, Dachamir ; FREDEL, MÁRCIO C. ; JANSSEN, ROLF . ZrO<sub>2</sub> fiber-matrix interfaces in alumina fiber-reinforced model composites. *Journal of the European Ceramic Society*, , v. 35, p. 1593-1598, 2015.
- 30 MENDES, T. M. ; **HOTZA, D.** ; REPETTE, W. L. . Nanoparticles in cement based materials: a review. *Reviews on Advanced Materials Science (Online)*, v. 40, p. 89-96, 2015.
- 31 SCIREA, RENATA FUMAGALI ; VIEIRA JUNIOR, LUIZ ELOI ; RODRIGUES NETO, JOÃO BATISTA ; Hotza, Dachamir . Otimização reológica de suspensões aquosas de óxido de ferro (III). *Matéria (UFRJ)*, v. 20, p. 185-192, 2015.
- 32 Hotza, Dachamir ; GARCÍA, DANIEL E. ; CASTRO, RICARDO H. R. . Obtaining highly dense YSZ nanoceramics by pressureless, unassisted sintering. *International Materials Reviews*, v. 2015, p. 1743280415Y.000, 2015.
- 33 STAFFORD, F.N. ; VIQUEZ, M.D. ; LABRINCHA, J. ; HOTZA, D. . Advances and Challenges for the Co-processing in Latin American Cement Industry. *Procedia Materials Science*, v. 9, p. 571-577, 2015.
- 34 SENFF, L. ; MODOLI, R.C.E. ; ASCENSÃO, G. ; **HOTZA, D.** ; Ferreira, V.M. ; Labrincha, J.A. . Development of mortars containing superabsorbent polymer. *Construction & Building Materials*, v. 95, p. 575-584, 2015.
- 35 SANCHES, M.F. ; VITORINO, N. ; FREITAS, C. ; ABRANTES, J.C.C. ; FRADE, J.R. ; RODRIGUES NETO, J.B. ; **HOTZA, D.** . Cellular ceramics by gelatin gelcasting of emulsified suspensions with sunflower oil. *Journal of the European Ceramic Society*, v. 35, p. 2577-2585, 2015.
- 36 STÜPP, CÉSAR AUGUSTO ; MENDIS, CHAMINI LAKSHI ; MOHEDANO, MARTA ; SZAKÁCS, GÁBOR ; GENSCHE, FELIX ; MÜLLER, SÖREN ; FEYERABEND, FRANK ; Hotza, Dachamir ; FREDEL, MÁRCIO CELSO ; HORT, NORBERT . Powder Metallurgical Synthesis of Biodegradable Mg-Hydroxyapatite Composites for Biomedical Applications. *Materials Science Forum (Online)*, v. 828-829, p. 165-171, 2015.
- 37 DA SILVA, ANDRE L. ; MUCHÉ, DERECK N.F. ; DEY, SANCHITA ; **Hotza, Dachamir** ; CASTRO, RICARDO H.R. . Photocatalytic Nb<sub>2</sub>O<sub>5</sub>-doped TiO<sub>2</sub> nanoparticles for glazed ceramic tiles. *Ceramics International*, v. 12, p. 2015, 2015.

- 38 SOARES, CÍNTIA ; PADOIN, NATAN ; MULLER, DALIANA ; Hotza, Dachamir ; RAMBO, CARLOS RENATO . Evaluation of resistances to fluid flow in fibrous ceramic medium. *Applied Mathematical Modelling*, v. 39, p. 7197-7210, 2015.
- 39 Neckel, L. ; PEREIRA DA SILVA, J.G. ; GUGLIELMI, P. ; **HOTZA, D.** ; AL-QURESHI, H.A. ; MONTEDO, O.R.K. ; BERGMANN, C. P. ; JANSEN, R. . Mechanical tests and simulation on load sharing in alumina fiber bundles. *Ceramics International*, v. 41, p. 13257-13263, 2015.
- 40 GUGLIELMI, PAULA O. ; BLAESE, DIEGO ; HABLITZEL, MURILO P. ; NUNES, GABRIEL F. ; LAUTH, VICTOR R. ; **Hotza, Dachamir** ; AL-QURESHI, HAZIM A. ; JANSEN, ROLF . Microstructure and flexural properties of multilayered fiber-reinforced oxide composites fabricated by a novel lamination route. *Ceramics International*, v. 41, p. 7836-7846, 2015.
- 41 Rios, A. C. ; **HOTZA, D.** ; SALMORIA, G. V. ; FREDEL, M. C. . Fabricación de andamios de hidroxiapatita por impresión tridimensional. *Revista Latinoamericana de Metalurgia y Materiales*, v. 34, p. 1-13, 2014.
- 42 GARCIA, G. S. ; LEMES-RACHADEL, P. ; MACHADO, R. A. F. ; **HOTZA, D.** ; DA COSTA, J. C. D. . Mixed ionic-electronic conducting membranes (MIEC): composition, preparation, and performance.. *Química Nova* (Impresso), v. 37, p. 302-307, 2014.
- 43 RODRIGUES NETO, J. B. ; **HOTZA, D.** ; MORENO, R. M. . Effect of the mechanical activation of a talc/kaolin/alumina mixture on the mechanism and kinetics of cordierite formation.. *Química Nova* (Impresso), v. 37, p. 195-199, 2014.
- 44 PATRICIO, J. S. ; **HOTZA, D.** ; DE NONI JR, A. . Argilas adsorventes aplicadas à clarificação de óleos vegetais. *Cerâmica* (São Paulo. Impresso), v. 60, p. 171-178, 2014.
- 45 DA SILVA, ANDRE LUIZ ; BERNARDIN, ADRIANO MICHAEL ; **Hotza, Dachamir** . Forming of thin porcelain tiles: A comparison between tape casting and dry pressing. *Ceramics International*, v. 40, p. 3761-3767, 2014.
- 46 GUIOTOKU, M. ; RAMBO, C. R. ; **HOTZA, D.** . Charcoal produced from cellulosic raw materials by microwave-assisted hydrothermal carbonization. *Journal of Thermal Analysis and Calorimetry*, v. 115, p. 1-7, 2014.
- 47 MORENO, V. ; BERNARDINO, R. M. ; **HOTZA, D.** . Mechanical Behavior of Yttria-Stabilized Zirconia Aqueous Cast Tapes and Laminates. *Journal of Ceramics*, v. 2014, p. 1-5, 2014.
- 48 CESCONETO, F.R. ; ARCARO, S. ; RAUPP-PEREIRA, F. ; RODRIGUES NETO, J.B. ; **HOTZA, D.** ; NOVAES DE OLIVEIRA, A.P. . TiO<sub>2</sub> NANOPARTICULATED LZSA GLASS-CERAMIC MATRIX COMPOSITES. *Ceramics International*, v. 2014, p. 1-10, 2014.
- 49 SANCHES, M.F. ; VITORINO, N. ; ABRANTES, J.C.C. ; FRADE, J.R. ; RODRIGUES NETO, J.B. ; **HOTZA, D.** . Effects of processing parameters on cellular ceramics obtained by paraffin emulsified suspensions. *Ceramics International*, v. 2014, p. 1-10, 2014.
- 50 DAL BÓ, MARCELO ; BERNARDIN, ADRIANO MICHAEL ; **Hotza, Dachamir** . Formulation of ceramic engobes with recycled glass using mixture design. *Journal of Cleaner Production*, , v. 69, p. 243-249, 2014.
- 51 SILVA, M. V. ; STAINER, D. ; AL-QURESHI, H. A. ; MONTEDO, O. R. K. ; **HOTZA, D.** . Alumina-Based Ceramics for Armor Application: Mechanical Characterization and Ballistic Testing. *Journal of Ceramics*, v. 2014, p. 1-6, 2014.
- 52 SENFF, L. ; MODOLI, R. ; SILVA, A. ; FERREIRA, V. M. ; **HOTZA, D.** ; LABRINCHA, J. A. . Influence of red mud addition on rheological behavior and hardened properties of mortars. *Construction & Building Materials*, v. 65, p. 84-91, 2014.
- 53 PINEDA-VÁSQUEZ, T. ; BOTERO, ANA ; RAMIREZ CARMONA, MARGARITA ENID ; TORRES, MABEL ; LEMOS SOARES, CARLOS H ; HOTZA, D. . Biogeneration of Silica Nanoparticles from Rice Husk Ash Using Fusarium Oxysporum in Two Different Growth Media. *Industrial & Engineering Chemistry Research*, v. 2014, p. 140403132901005, 2014.
- 54 FELTRIN, J. ; SARTOR, M. N. ; DE NONI JR, A. ; BERNARDIN, A. M. ; **HOTZA, D.** ; LABRINCHA, J. A. . Superfícies fotocatalíticas de titânia em substratos cerâmicos. Parte II: substratos, processos de deposição e tratamento térmico. *Cerâmica* (São Paulo. Impresso), v. 60, p. 1-9, 2014.
- 55 CESCONETO, F. R. ; RODRIGUES NETO, J. B. ; ARCARO, S. ; RAUPP-PEREIRA, F. ; **HOTZA, D.** ; NOVAES DE OLIVEIRA, A.P. . Reologia de suspensões de precursor vitrocerâmico do sistema LiO<sub>2</sub>-ZrO<sub>2</sub>-SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>. *Cerâmica* (São Paulo. Impresso), v. 60, p. 149-153, 2014.
- 56 Rambo, Carlos R. ; **Hotza, Dachamir** . Microchanneled biomorphic AlN-coated Al<sub>2</sub>O<sub>3</sub> by pressureless infiltration-nitridation. *Ceramics International*, v. 2014, p. 1-10, 2014.
- 57 GRALIK, G. ; THOMSEN, A. E. ; MORAES, C. A. ; RAUPP-PEREIRA, FABIANO ; **HOTZA, D.** . Processing and characterization of CaTiO<sub>3</sub> perovskite ceramics. *Processing and Application of Ceramics*, v. 8, p. 53-57, 2014.

- 58 OLIVEIRA, B. G. ; SOUZA, O. ; MARANGONI, C. ; **HOTZA, D.** ; OLIVEIRA, A.P. N. ; SELLIN, N. . Production and Characterization of Fuel Briquettes from Banana Leaves Waste. *Chemical Engineering Transactions*, v. 37, p. 439-444, 2014.
- 59 SENFF, L. ; TOBALDI, D.M. ; LEMES-RACHADEL, P. ; LABRINCHA, J.A. ; **HOTZA, D.** . The influence of TiO<sub>2</sub> and ZnO powder mixtures on photocatalytic activity and rheological behavior of cement pastes. *Construction & Building Materials*, v. 65, p. 191-200, 2014.
- 60 REY-MAFULL, CARLOS A ; TACORONTE, JUAN E ; GARCIA, RAQUEL ; TOBELLA, JORGE ; LLÓPIZ, JULIO C ; IGLESIAS, ALBERTO ; Hotza, Dachamir . Comparative study of the adsorption of acetaminophen on activated carbons in simulated gastric fluid. *SpringerPlus*, v. 3, p. 48-59, 2014.
- 61 VIEIRA, LUIZ E. ; RODRIGUES NETO, JOÃO B. ; KLEIN, ALOÍSIO N. ; **Hotza, Dachamir** ; MORENO, RODRIGO . Colloidal processing of highly concentrated aqueous copper suspensions. *Powder Technology (Print)*, v. 256, p. 540-544, 2014.
- 62 CESCONETO, FRANCIELLY ROUSSENQ ; DE MORAES, GRAZIELA G. ; NETO, JOÃO BATISTA RODRIGUES ; RAUPP-PEREIRA, FABIANO ; **Hotza, Dachamir** ; DE OLIVEIRA, ANTONIO PEDRO NOVAES . Effect of the Addition of TiO<sub>2</sub> Nanoparticles on the Sinterability of a Glass Belonging to the LZSA Glass-Ceramic System. *Materials Science Forum (Online)*, v. 775-776, p. 92-96, 2014.
- 63 SOUSA, FÁBIO J.P. ; DAL BÓ, MARCELO ; GUGLIELMI, PAULA O. ; JANSEN, ROLF ; **Hotza, Dachamir** . Characterization of Young-s modulus and fracture toughness of albite glass by different techniques. *Ceramics International*, v. 40, p. 10893-10899, 2014.
- 64 RAHNER, C. ; AL-QURESHI, H. A. ; STAINER, D. ; **HOTZA, D.** ; FREDEL, M. C. . Numerical Evaluation of a Light-Gas Gun Facility for Impact Test. *Modelling and Simulation in Engineering*, v. 2014, p. 1-6, 2014.
- 65 MULLER, D. ; PINHEIRO, G. K. ; SCARABELOT, L. T. ; FRANCA, J. F. ; **HOTZA, D.** ; RAMBO, C. R. . Ceramic tiles with photovoltaic properties. *Materials Science Forum*, v. 798, p. 312-316, 2014.
- 66 CONTRERAS, A. M. G. ; **HOTZA, D.** ; DUTRA, G. B. ; NOGUEIRA, A. L. ; FRANCO, C. V. ; ACCHAR, W. ; RAMBO, C. R. . Rice husk ash impregnated with silver nanoparticles for water purification. *Materials Science Forum*, v. 798, p. 727-731, 2014.
- 67 FREDEL, M. C. ; NECKEL JR., LORENÇO ; WEISS, ARTHUR G. ; **HOTZA, D.** ; MOTZ, GÜNTER . Particle-filled polysilazane coatings for steel protection. *Advanced Materials Research (Online)*, v. 975, p. 149-153, 2014.
- 68 SALMORIA, G. V. ; **HOTZA, D.** ; KLAUSS, P. ; KANIS, L. A. ; ROESLER, C. R. M. . Manufacturing of Porous Polycaprolactone Prepared with Different Particle Sizes and Infrared Laser Sintering Conditions: Microstructure and Mechanical Properties. *Advances in Mechanical Engineering (New York)*, v. 2014, p. 1-7, 2014.
- 69 PINEDA-VÁSQUEZ, TATIANA G. ; SILVA, MABEL T. BORN E ; SOARES, CARLOS H. L. ; Hotza, Dachamir . INFLUENCE OF PROCESS PARAMETERS ON OBTENTION OF SILICA FROM RICE HUSK ASH BY ACTION OF *Fusarium oxysporum*. *Química Nova (Impresso)*, v. 37, p. 816-820, 2014.
- 70 BERTI, L. F. ; SANTOS, P. H. D. ; RAMBO, C. R. ; **HOTZA, D.** ; BAZZO, E. . Steady State Thermal Behaviour of Ceramic Wick Structure for Application in Two Phase Heat Transfer Devices. *Advanced Materials Research (Online)*, v. 1082, p. 302-308, 2014.
- 71 FIGUEIRA, F. C. ; **HOTZA, D.** ; BERNARDIN, A. M. . Obtenção de granilhas por gelificação de suspensões cerâmicas. *Cerâmica (São Paulo. Impresso)*, v. 60, p. 457-464, 2014.
- 72 GUGLIELMI, PAULA O. ; BLAESE, DIEGO ; HABLITZEL, MURILO ; NUNES, GABRIEL ; LAUTH, VICTOR R. ; GARCIA, DANIEL ; AL-QURESHI, HAZIM A. ; **Hotza, Dachamir** ; JANSEN, ROLF . Multilayered Fiber-Reinforced Oxide Composites Produced by Lamination of Thermoplastic Prepregs. *Advances in Science and Technology (Online)*, v. 89, p. 145-150, 2014.
- 73 AMADIO, TATIANE MATTOS ; NETO, JOÃO B. RODRIGUES ; Hotza, Dachamir . Alumina Matrix Composites Produced by Water-Based Tape Casting. *Materials Science Forum (Online)*, v. 775-776, p. 562-565, 2014.
- 74 REY-MAFULL, CARLOS A ; LLÓPIZ, JULIO C ; IGLESIAS, ALBERTO ; **Hotza, Dachamir** ; GARCIA, RAQUEL . Adsorción de fenobarbital en carbones activados comerciales. Equilibrio cinético e isotermo de adsorción. *Revista CENIC - Ciências Químicas*, v. 45, p. 172-183, 2014.
- 75 HOTZA, D.; GOMES, C. M. ; GUNSTER, J. . Advances in Additive Manufacturing Processes and Materials. *Advances in Mechanical Engineering*, v. 6, p. 645075-645075, 2014.
- 76 DA SILVA, ANDRE L. ; FELTRIN, JUCILENE ; DAL BÓ, MARCELO ; BERNARDIN, ADRIANO M. ; **Hotza, Dachamir** . Effect of reduction of thickness on microstructure and properties of porcelain stoneware tiles. *Ceramics International*, v. 40, p. 14693-14699, 2014.
- 77 SILVA, M. V. DA ; STAINER, D. ; AL-QURESHI, H. A. ; **HOTZA, D.** . Blindagens cerâmicas para aplicações balísticas: uma revisão. *Cerâmica (São Paulo. Impresso)*, v. 60, p. 323-331, 2014.

- 78 JUNKES, J. A. ; DERMEIK, B. ; GUTBROD, B. ; **HOTZA, D.** ; GREIL, P. ; TRAVITZKY, N. . Influence of coatings on microstructure and mechanical properties of preceramic paper-derived porous alumina substrates. *Journal of Materials Processing Technology*, v. 213, p. 308-313, 2013.
- 79 ZENI, T. L. ; RAMBO, C. R. ; MAGALHÃES, W. L. E. ; **HOTZA, D.** . Control of porosity and permeability of wood by fungi action for biotemplating of SiC. *Journal of Wood Chemistry and Technology*, v. 33, p. 33-43, 2013.
- 80 AGUILAR, J. L. ; HOTZA, D. . Configuraciones alternativas para celdas de combustible de óxido sólido. *Revista Latinoamericana de Metalurgia y Materiales*, v. 33, p. 172-185, 2013.
- 81 BIROL, H. ; RAMBO, C. R. ; GUIOTOKU, M. ; **HOTZA, D.** . Preparation of ceramic nanoparticles via cellulose-assisted glycine nitrate process: a review. *RSC ADV*, v. 3, p. 2873-2884, 2013.
- 82 DAL BÓ, M. ; SÁNCHEZ, E. J. ; CANTAVELLA, V. ; **HOTZA, D.** ; GILABERT, F. A. . Fracture toughness and temperature dependence of Young's modulus of a sintered albite glass. *Journal of Non-Crystalline Solids*, , v. 363, p. 70-76, 2013.
- 83 BERTAN, F. M. ; OLIVEIRA, A. P. N. ; MONTEDO, O. R. K. ; **HOTZA, D.** ; RAMBO, C. R. . The effect of microstructural features on the mechanical properties of LZSA glass-ceramic matrix composites. *Cerâmica (São Paulo. Impresso)*, v. 59, p. 351-359, 2013.
- 84 DAL BÓ, M. ; **HOTZA, D.** . Using Recycled Ceramics to make new Triaxial Ceramics. *Refractories and Industrial Ceramics*, p. 243-250, 2013.
- 85 LUSSOLI, R. J. ; RODRIGUES NETO, J. B. ; KLEIN, A. N. ; **HOTZA, D.** ; MORENO, R. M. . Aqueous colloidal processing of carriers for delivering silica nanoparticles in iron matrix nanocomposites. *Materials Research Bulletin*, v. 48, p. 2430-2436, 2013.
- 86 SENFF, L. ; TOBALDI, D. M. ; LUCAS, S. ; **HOTZA, D.** ; FERREIRA, V. M. ; LABRINCHA, J. A. . Formulation of mortars with nano-SiO<sub>2</sub> and nano-TiO<sub>2</sub> for degradation of pollutants in buildings. *Composites. Part B. Engineering*, v. 44, p. 40-47, 2013.
- 87 DELAVI, D. G. G. ; DE NONI JR, A. ; **HOTZA, D.** . Deflocculant consumption of clay suspensions as a function of specific surface area and cation exchange capacity. *Clay Minerals (Print)*, v. 48, p. 473-480, 2013.
- 88 FURLAN, K. P. ; KLEIN, A. N. ; **HOTZA, D.** . Diamond-like carbon films deposited by hydrocarbon plasma sources. *Reviews on Advanced Materials Science (Print)*, v. 34, p. 165-172, 2013.
- 89 DEBONI, TAIANA MARIA ; BÜNDCHEN, MÁRCIA ; JUNIOR, CELIO VOLPI ; **Hotza, Dachamir** ; PILETTI, RAQUEL ; QUADRI, MARA GABRIELA NOVY . Effect of the Processing Steps on Cactus Juice Production. *Food and Bioprocess Technology (Print)*, v. 2013, p. 1-11, 2013.
- 90 MORENO, V. ; **Hotza, Dachamir** ; GREIL, P. ; TRAVITZKY, N. . Dense YSZ Laminates Obtained by Aqueous Tape Casting and Calendering. *Advanced Engineering Materials (Print)*, p. n/a-n/a, 2013.
- 91 BAQUERO, TOMAS ; ESCOBAR, JAIRO ; FRADE, JORGE ; Hotza, Dachamir . Aqueous tape casting of micro and nano YSZ for SOFC electrolytes. *Ceramics International*, v. 39, p. 8279-8285, 2013.
- 92 NECKEL, L. ; **Hotza, Dachamir** ; STAINER, D. ; JANSEN, R. ; AL-QURESHI, H. A. . Modelling of Ballistic Impact over a Ceramic-Metal Protection System. *Advances in Materials Science and Engineering (Print)*, v. 2013, p. 1-8, 2013.
- 93 SANTOS-BARBOSA, DOLLY ; **Hotza, Dachamir** ; BOIX, JUAN ; MALLOL, GUSTAVO . Modelling the Influence of Manufacturing Process Variables on Dimensional Changes of Porcelain Tiles. *Advances in Materials Science and Engineering (Print)*, v. 2013, p. 1-12, 2013.
- 94 HERRERA, A. M. ; OLIVEIRA JR, A. A. M. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Processing and Characterization of Yttria-Stabilized Zirconia Foams for High-Temperature Applications. *Journal of Ceramics*, v. 2013, p. 1-8, 2013.
- 95 DAL BÓ, MARCELO ; BOSCHI, ANSELMO O. ; **HOTZA, D.** ; BOSCHI, Anselmo Ortega . Cinética de sinterización y transporte de masa en engobes cerámicos. *Boletín de la Sociedad Española de Cerámica y Vidrio*, v. 52, p. 237-241, 2013.
- 96 HOTZA, D.; RAMBO, C. R. ; Rambo, Carlos R. ; CUNHA, CARLO R. DA ; Zollfrank, Cordt . Directed photoluminescent emission of ZnO tetrapods on biotemplated Al<sub>2</sub>O<sub>3</sub>. *Optical Materials (Amsterdam. Print)*, v. 36, p. 562-567, 2013.
- 97 CASAGRANDE, C. A. ; REPETTE, W. L. ; JOCHEM, L. F. ; BREITBACH, A. M. ; **HOTZA, D.** . Estudo de argamassas photocatalíticas para redução de NOx. *Concreto & Construção*, v. 71, p. 60-66, 2013.
- 98 AGUILAR-ARIAS, JAIME ; Hotza, Dachamir ; LENORMAND, PASCAL ; ANSART, FLORENCE . Planar Solid Oxide Fuel Cells Using PSZ, Processed by Sequential Aqueous Tape Casting and Constrained Sintering. *Journal of the American Ceramic Society*, v. 96, p. n/a-n/a, 2013.

- 99 FELTRIN, J. ; SARTOR, M. N. ; DE NONI JR, A. ; BERNARDIN, A. M. ; **HOTZA, D.** ; LABRINCHA, J. A. . Superfícies fotocatalíticas de titânia em substratos cerâmicos: Parte I: Síntese, estrutura e fotoatividade. Cerâmica (São Paulo. Impresso), v. 59, p. 620-632, 2013.
- 100 JUNKES, J. A. ; CARVALHO, M. A. ; SEGADÃES, A. M. ; HOTZA, D. . Rezepturen für Keramikfliesen aus Industrieabfällen. Keramische Zeitschrift, v. 65, p. 365-371, 2013.
- 101 LEMES-RACHADEL, PRISCILA ; GARCIA, GIULLIANI SACHINELLI ; MACHADO, RICARDO ANTONIO FRANCISCO ; **Hotza, Dachamir** ; COSTA, JOÃO CARLOS DINIZ DA . Current developments of mixed conducting membranes on porous substrates. Materials Research (São Carlos. Impresso), v. 17, p. 242-249, 2013.
- 102 RACHADEL, PRISCILA LEMES ; MOTUZAS, JULIUS ; JI, GUOZHAO ; **Hotza, Dachamir** ; DINIZ DA COSTA, JOÃO C. . The effect of non-ionic porous domains on supported Ba<sub>0.5</sub>Sr<sub>0.5</sub>Co<sub>0.8</sub>Fe<sub>0.203</sub>-δ membranes for O<sub>2</sub> separation. Journal of Membrane Science (Print), v. 454, p. 382-389, 2013.
- 103 REY-MAFULL, CARLOS A ; LLÓPIZ, JULIO C ; **HOTZA, D.** ; GARCIA, RAQUEL ; TACORONTE, JUAN E ; TOBELL, JORGE ; ROCKWOOD-SANCHEZ, J. . Thermodynamic parameters of adsorption from systems activated carbon chlordiazepoxide and activated carbon-diazepam. Revista Cubana de Química, v. 25, p. 235-249, 2013.
- 104 MORAES, G. G. ; RODRIGUES NETO, J. B. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. ; OLIVEIRA, B. G. ; OLIVEIRA, T. M. N. . Produção e caracterização de espumas cerâmicas obtidas a partir de lodo de anodização de alumínio. Química Nova (Impresso), v. 35, p. 143-148, 2012.
- 105 NECKEL, L. ; **HOTZA, D.** ; STAINER, D. ; JANSEN, R. ; LEZANA, A. G. R. ; DIAS, A. ; AL-QURESHI, H. A. . Solutions for impact over aerospace protection. Key Engineering Materials, v. 488489, p. 25-28, 2012.
- 106 MONTEDO, O. R. K. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. ; MESZAROS, R. ; TRAVITZKY, N. ; GREIL, P. . Crystallisation Kinetics of a β-Spodumene-Based Glass Ceramic. Advances in Materials Science and Engineering (Print), v. 2012, p. 1-8, 2012.
- 107 SENFF, L. ; **HOTZA, D.** ; LUCAS, S. M. S. O. ; FERREIRA, V. M. ; LABRINCHA, J. A. . Effect of nano-SiO<sub>2</sub> and nano-TiO<sub>2</sub> addition on the rheological behavior and the hardened properties of cement mortars. Materials Science & Engineering. A, Structural Materials: Properties, Microstructure and Processing, v. 532, p. 354-361, 2012.
- 108 HOTZA, D.. Protective coatings for porcelain insulators. Recent Patents on Corrosion Sciencee, v. 2, p. 22-29, 2012.
- 109 DAL BÓ, M. ; MELCHIADES, F.G. ; BOSCHI, A. O. ; **HOTZA, D.** . Efeito das propriedades dos esmaltes e engobes sobre a curvatura de revestimentos cerâmicos. Cerâmica (São Paulo. Impresso), v. 58, p. 118-125, 2012.
- 110 GOUSHEGIR, S. M. ; GUGLIELMI, P. O. ; SILVA, J. G. P. ; HABLITZEL, M. P. ; **HOTZA, D.** ; AL-QURESHI, H. A. ; JANSEN, R. . Fiber-matrix compatibility in an all-oxide ceramic composite with RBAO matrix. Journal of the American Ceramic Society, v. 95, p. 159-164, 2012.
- 111 MUNDSTOCK, K. B. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; ROGERO, S.O. . Avaliação da biocompatibilidade de vidro e vitrocerâmica do sistema SNCP (SiO<sub>2</sub>-Na<sub>2</sub>O-CaO-P<sub>2</sub>O<sub>5</sub>). Química Nova (Impresso), v. 35, p. 665-670, 2012.
- 112 , v. 35, p. 665-670, 2012.
- 113 GARCIA, D. E. ; KLEIN, A. N. ; **HOTZA, D.** . Advanced ceramics with dense and fine-grained microstructures through fast firing. Reviews on Advanced Materials Science (Print), v. 30, p. 273-281, 2012.
- 114 GARCIA, D. E. ; **HOTZA, D.** . Effect of the particulate size on mechanical properties of alumina-zirconia composites. Materials Letters (General ed.), v. 82, p. 88-90, 2012.
- 115 DAL BÓ, M. ; CANTAVELLA, V. ; SÁNCHEZ, E. J. ; **HOTZA, D.** ; BOSCHI, A. O. . Modelización mecánica del enfriamiento rápido en sistemas tipo gres porcelánico. Boletín de la Sociedad Española de Cerámica y Vidrio, v. 51, p. 95-102, 2012.
- 116 GÓMEZ, S. Y. ; ÁLVAREZ, O. A. ; ESCOBAR, J. A. ; RODRIGUES NETO, J. B. ; RAMBO, C. R. ; **HOTZA, D.** . Relationship between rheological behaviour and final structure of Al<sub>2</sub>O<sub>3</sub> and YSZ foams produced by replica. Advances in Materials Science and Engineering (Online), v. 2012, p. 549508-9, 2012.
- 117 POSSAMAI, T. S. ; OBA, R. ; NICOLAU, V. P. ; **HOTZA, D.** ; GARCIA, D. E. . Numerical simulation of the fast firing of alumina in a box furnace. Journal of the American Ceramic Society,, v. 95, p. 3750-3757, 2012.
- 118 HERRERA, A. M. ; ÁLVAREZ, O. A. ; ESCOBAR, J. A. ; MORENO, V. ; OLIVEIRA JR, A. A. M. ; **HOTZA, D.** . Fabricación y caracterización de espumas de alúmina para aplicación en quemadores porosos radiantes. Matéria (UFRJ), v. 17, p. 973-987, 2012.
- 119 PINEDA, T. G. ; **HOTZA, D.** ; SOARES, C.H.L. ; CASAS, A. E. ; RAMÍREZ, M. E. . Biotransformaçao da cinza da casca de arroz em nanopartículas de sílica mediante Fusarium oxysporum. Matéria (UFRJ), v. 17, p. 946-954, 2012.
- 120 JUNKES, J. A. ; PRATES, P. B. ; **HOTZA, D.** ; SEGADÃES, A. M. . Combining mineral and clay-based wastes to produce porcelain-like ceramics: An exploratory study. Applied Clay Science (Print), v. 69, p. 50-57, 2012.

- 121 DAL BÓ, M. ; GILBERT, F. A. ; SÁNCHEZ, E. J. ; BOSCHI, A. O. ; **HOTZA, D.** ; CANTAVELLA, V. . Simulação matemática do processo de têmpera em materiais cerâmicos compostos por uma matriz vítreia e partículas cristalinas de quartzo. *Revista Técnico-Científica (IFSC)*, v. 3, p. 662-672, 2012.
- 122 LEMES-RACHADEL, P. ; BIROL, H. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Development of alternative glass ceramic seal for a planar solid oxide fuel cell. *Advances in Materials Science and Engineering (Print)*, v. 2012, p. 346280-6, 2012.
- 123 VIEIRA JR, L. E. ; RODRIGUES NETO, J. B. ; KLEIN, A. N. ; **HOTZA, D.** ; MORENO, R. M. . Effect of mechanical activation on microstructure and mechanical properties of aqueous colloidal processed nickel metal matrix nanocomposites. *Materials Science Forum*, v. 727-728, p. 195-199, 2012.
- 124 ÁVILA, A. G. ; POVEDA, J. ; GOMEZ, D. ; HOTZA, D. ; ESCOBAR, J. A. . Characterization of SOFCs: A crystallographic analysis and first steps towards an impedance spectroscopy. *Materials Science Forum*, v. 727-728, p. 769-774, 2012.
- 125 PINEDA, T. G. ; SOARES, C.H.L. ; **HOTZA, D.** ; CASAS, A. E. ; RAMÍREZ, M. E. ; TORRES, M. M. . Extracellular synthesis of silica oxide particles by *Fusarium oxysporum* from rice husk ash. *Materials Science Forum*, v. 727-728, p. 1153-1157, 2012.
- 126 GOUSHEGIR, S. M. ; GUGLIELMI, P. O. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; JANSSEN, R. . Fiber-matrix compatibility in LZSA glass-ceramic matrix composites. *Materials Science Forum*, , v. 727-728, p. 562-567, 2012.
- 127 GOMES, J. M. ; SALGADO, A. L. F. ; **HOTZA, D.** . Life cycle assessment of ceramic bricks. *Materials Science Forum*, v. 727-728, p. 815-820, 2012.
- 128 HERRERA, A. M. ; MORENO, V. ; OLIVEIRA JR, A. A. M. ; **HOTZA, D.** ; ÁLVAREZ, O. A. ; ESCOBAR, J. A. . Manufacture and characterization of alumina ceramic foams for porous burners. *Materials Science Forum*, v. 727-728, p. 663-668, 2012.
- 129 SILVA, J. G. P. ; **HOTZA, D.** ; JANSSEN, R. ; AL-QURESHI, H. A. . Modeling of ceramic oxide fiber bundles mechanical properties. *Materials Science Forum*, v. 727-728, p. 574-580, 2012.
- 130 GUGLIELMI, P. O. ; Nunes, G. F. ; HABITZEL, M. P. ; **HOTZA, D.** ; JANSSEN, R. . Production of oxide ceramic matrix composites by a prepreg technique. *Materials Science Forum*, v. 727-728, p. 556-561, 2012.
- 131 BERTI, L. F. ; RAMBO, C. R. ; BAZZO, E. ; JANSSEN, R. ; **HOTZA, D.** . RBMAO: A novel route for porous matrix composites. *Materials Science Forum*, v. 727-728, p. 568-573, 2012.
- 132 VIEIRA JR, L. E. ; RODRIGUES NETO, J. B. ; **HOTZA, D.** . Rheological study of iron oxide reinforced by ceramic nanoparticles. *Materials Science Forum*, v. 727-728, p. 625-628, 2012.
- 133 MORENO, V. ; AGUILAR, J. L. ; **HOTZA, D.** . 8YSZ tapes produced by aqueous tape casting. *Materials Science Forum*, v. 727-728, p. 752-757, 2012.
- 134 SENFF, L. ; **HOTZA, D.** ; LABRINCHA, J. A. . Effect of red mud addition on the rheological behaviour and on hardened state characteristics of cement mortars. *Construction & Building Materials*, v. 25, p. 163-170, 2011.
- 135 GOMES, C. M. ; BIROL, H. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; ACCHAR, W. ; TRAVITZKY, N. ; GREIL, P. . Laminated object manufacturing of LZSA glass-ceramics. *Rapid Prototyping Journal*, v. 17, p. 424-428, 2011.
- 136 ANDRADE, F. A. ; AL-QURESHI, H. A. ; **HOTZA, D.** . Modelo matemático aplicado ao processo de extrusão de argila. *Cerâmica (São Paulo. Impresso)*, v. 57, p. 180-184, 2011.
- 137 SENFF, L. ; **HOTZA, D.** ; LABRINCHA, J. A. . Effect of diatomite addition on fresh and hardened properties of mortars investigated through mixture experiments. *Advances in Applied Ceramics (Print)*, v. 110, p. 142-150, 2011.
- 138 ANDRADE, F. A. ; AL-QURESHI, H. A. ; **HOTZA, D.** . Measuring the plasticity of clays: a review. *Applied Clay Science (Print)*, v. 51, p. 1-7, 2011.
- 139 DE NONI JR, A. ; **HOTZA, D.** ; CANTAVELLA, V. ; SÁNCHEZ, E. J. . Influence of composition on mechanical behaviour of porcelain tile. Part III: Effect of the cooling rate of the firing cycle. *Materials Science & Engineering. A, Structural Materials: Properties, Microstructure and Processing*, v. 528, p. 3330-3336, 2011.
- 140 BERTI, L. F. ; SANTOS, P. H. D. ; BAZZO, E. ; **HOTZA, D.** ; JANSSEN, R. ; RAMBO, C. R. . Evaluation of permeability of ceramic wick structures for two phase heat transfer devices. *Applied Thermal Engineering*, v. 31, p. 1076-1081, 2011.
- 141 GARCIA, D. E. ; **HOTZA, D.** ; JANSSEN, R. . Building a sintering front through fast firing. *International Journal of Applied Ceramic Technology*, v. 8, p. 1486-1493, 2011.
- 142 JUNKES, J. A. ; CARVALHO, M. A. ; HOTZA, D. ; SEGADÃES, A. M. . Ceramic tile formulations from industrial waste. *Interceram*, v. 60, p. 36-41, 2011.
- 143 SENFF, L. ; CASTELA, A. A. O. ; HAJJAJI, W. ; **HOTZA, D.** ; LABRINCHA, J. A. . Formulations of sulfobelite cement through design of experiments. *Construction & Building Materials*, v. 25, p. 3410-3416, 2011.

- 144 MONTEDO, O. R. K. ; FLORIANO, F. J. ; OLIVEIRA FILHO, J. ; GOMES, C. M. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Sintering kinetics of a 18.8Li<sub>2</sub>O?8.3ZrO<sub>2</sub>?64.2SiO<sub>2</sub>?8.7Al<sub>2</sub>O<sub>3</sub> glass ceramic. *Ceramics International*, v. 37, p. 1865-1871, 2011.
- 145 VIEIRA JR, L. E. ; RODRIGUES NETO, J. B. ; KLEIN, A. N. ; MORENO, R. M. ; **HOTZA, D.** . Rheological and structural characterization of Ni-SiO<sub>2</sub> nanocomposites produced by aqueous colloidal processing. *Journal of the American Ceramic Society*, v. 94, p. 4179-4183, 2011.
- 146 SILVA, J. G. P. ; **HOTZA, D.** ; JANSEN, R. ; AL-QURESHI, H. A. . Modelling of load transfer between porous matrix and short fibres in ceramic matrix composites. *WIT transactions on engineering sciences (Online)*, v. 72, p. 165-174, 2011.
- 147 SENFF, L. ; **HOTZA, D.** ; LABRINCHA, J. A. . Effect of lightweight aggregates addition on the rheological properties and the hardened state of mortars. *Applied Rheology (Print)*, v. 21, p. 13668/-8, 2011.
- 148 HABLITZEL, M. P. ; GARCIA, D. E. ; **HOTZA, D.** . Interfaces fracas em compósitos de matriz cerâmica de alumina/alumina. *Matéria (UFRJ)*, v. 16, p. 788-794, 2011.
- 149 PRIM, S.R. ; FOLGUERAS, M.V. ; DE LIMA, M.A. ; **HOTZA, D.** . Synthesis and characterization of hematite pigment obtained from a steel waste industry. *Journal of Hazardous Materials (Print)*, v. 192, p. 1307-1313, 2011.
- 150 MUNDSTOCK, K. B. ; MORAES, E. G. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. ; SILIGARDI, C. ; ROGERO, S.O. . Processamento e caracterização de espumas vitrocerâmicas do sistema SNCP (SiO<sub>2</sub>-Na<sub>2</sub>O-CaO-P<sub>2</sub>O<sub>5</sub>). *Química Nova (Impresso)*, v. 33, p. 598-602, 2010.
- 151 DE NONI JR, A. ; **HOTZA, D.** ; CANTAVELLA, V. ; SÁNCHEZ, E. J. . Influence of composition on mechanical behaviour of porcelain tile. Part I: microstructural characterization and developed phases after firing. *Materials Science & Engineering. A, Structural Materials: Properties, Microstructure and Processing*, v. 527, p. 1730-1735, 2010.
- 152 DE NONI JR, A. ; **HOTZA, D.** ; CANTAVELLA, V. ; SÁNCHEZ, E. J. . Influence of composition on mechanical behaviour of porcelain tile. Part II: mechanical properties and microscopic residual stress. *Materials Science & Engineering. A, Structural Materials: Properties, Microstructure and Processing*, v. 527, p. 1736-1746, 2010.
- 153 SENFF, L. ; **HOTZA, D.** ; REPETTE, W. L. . Comportamento reológico de pastas de cimento com adição de sílica ativa, nanossílica e dispersante policarboxílico. *Matéria (UFRJ)*, v. 15, p. 12-20, 2010.
- 154 SENFF, L. ; **HOTZA, D.** ; REPETTE, W. L. ; FERREIRA, V. M. ; LABRINCHA, J. A. . Effect of nanosilica and microsilica on microstructure and hardened properties of cement pastes and mortars. *Advances in Applied Ceramics (Print)*, v. 109, p. 104-110, 2010.
- 155 SENFF, L. ; **HOTZA, D.** ; REPETTE, W. L. ; FERREIRA, V. M. ; LABRINCHA, J. A. . Rheological characterisation of cement pastes with nanosilica, silica fume and superplasticiser additions. *Advances in Applied Ceramics (Print)*, v. 109, p. 213-218, 2010.
- 156 SENFF, L. ; **HOTZA, D.** ; REPETTE, W. L. ; FERREIRA, V. M. ; LABRINCHA, J. A. . Mortars with nano-SiO<sub>2</sub> and micro-SiO<sub>2</sub> investigated by experimental design. *Construction & Building Materials*, v. 24, p. 1432-1437, 2010.
- 157 SILVA, H. C. ; SOUZA, F. A. C. ; SILVA, N. S. ; **HOTZA, D.** . An application of mixture design to ceramic tile formulation. *Interceram*, v. 59, p. 221-225, 2010.
- 158 DELLA, V. P. ; JUNKES, J. A. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Heteromorphic hematite pigments obtained from steel scrap and encapsulated in amorphous silica for porcelanized stoneware. *Journal of Materials Science and Engineering*, v. 4, p. E20100109-1, 2010.
- 159 HAUSOL, T. ; GOMES, C. M. ; BIROL, H. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; TRAVITZKY, N. ; GREIL, P. . Corrugated glass-ceramics from LZSA cast tapes. *Journal of Materials Processing Technology*, v. 210, p. 1556-1561, 2010.
- 160 BARREIRO, A. M. ; RECOUVREUX, D. O. S. ; **HOTZA, D.** ; PORTO, L. M. ; RAMBO, C. R. . Sand dollar skeleton as templates for bacterial cellulose coating and apatite precipitation. *Journal of Materials Science*, v. 45, p. 5252-5256, 2010.
- 161 GUGLIELMI, P. O. ; SILVA, W. R. L. ; REPETTE, W. L. ; **HOTZA, D.** . Porosity and mechanical strength of an autoclaved clayey cellular concrete. *Advances in Civil Engineering (Print)*, v. 2010, p. 194102-6, 2010.
- 162 ANDRADE, F. A. ; AL-QURESHI, H. A. ; **HOTZA, D.** . Modeling of clay paste extrusion through a rectangular die. *The International Review of Chemical Engineering*, v. 2, p. 478-483, 2010.
- 163 HOTZA, D.. Uso de pronomes no texto Sendbrief von Dolmetschen de Martinho Lutero. *Revista Brasileira de Linguística Aplicada (Impresso)*, v. 10, p. 625-639, 2010.
- 164 ANDRADE, F. A. ; AL-QURESHI, H. A. ; **HOTZA, D.** . Measuring and modeling the plasticity of clays. *Materials Research (São Carlos. Impresso)*, v. 13, p. 395-399, 2010.
- 165 MORAES, G. G. ; OLIVEIRA, B. G. ; SILIGARDI, C. ; INNOCENTINI, M. D. M. ; OLIVEIRA JR, A. A. M. ; RODRIGUES NETO, J. B. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Production of foundry filters using Al<sub>2</sub>O<sub>3</sub> from the Al-anodizing process. *Advances in Science and Technology (Online)*, v. 62, p. 119-124, 2010.

- 166 HOTZA, D.; OLIVEIRA, A. P. N. . New silicate glass-ceramic materials and composites. *Advances in Science and Technology* (Online), v. 68, p. 1-12, 2010.
- 167 FLORES, O. J. U. ; ANDRADE, F. A. ; **HOTZA, D.** ; AL-QURESHI, H. A. . Modeling of plasticity of clays submitted to compression test. *World Academy of Science, Engineering and Technology. Proceedings*, v. 37, p. 191-196, 2010.
- 168 BERTAN, F. M. ; MONTEDO, O. R. K. ; RAMBO, C. R. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Extruded ZrSiO<sub>4</sub> particulate-reinforced LZSA glass?ceramics matrix composite. *Journal of Materials Processing Technology*, v. 209, p. 1134-1142, 2009.
- 169 VANDRESEN, S. ; QUADRI, M. G. N. ; SOUZA, J. A. R. ; **HOTZA, D.** . Temperature effect on the rheological behavior of carrot juices. *Journal of Food Engineering*, v. 92, p. 269-274, 2009.
- 170 GOMES, C. M. ; RAMBO, C. R. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; GOUVEA, D. ; TRAVITZKY, N. ; GREIL, P. . Colloidal processing of glass?ceramics for laminated object manufacturing. *Journal of the American Ceramic Society*, v. 92, p. 1186-1191, 2009.
- 171 DE NONI JR, A. ; **HOTZA, D.** ; CANTAVELLA, V. ; SÁNCHEZ, E. J. . Effect of quartz particle size on the mechanical behaviour of porcelain tile subjected to different cooling rates. *Journal of the European Ceramic Society*, v. 29, p. 1039-1046, 2009.
- 172 SENFF, L. ; LABRINCHA, J. A. ; FERREIRA, V. M. ; **HOTZA, D.** ; REPETTE, W. L. . Effect of nano-silica on rheology and fresh properties of cement pastes and mortars. *Construction & Building Materials*, v. 23, p. 2487-2491, 2009.
- 173 GÓMEZ, S. Y. ; ESCOBAR, J. A. ; ÁLVAREZ, O. A. ; RAMBO, C. R. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . ZrO<sub>2</sub> foams for porous radiant burners. *Journal of Materials Science*, v. 44, p. 3466-3471, 2009.
- 174 QUINTERO, M. W. ; ESCOBAR, J. A. ; REY, A. V. ; SARMIENTO, A. F. ; RAMBO, C. R. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Flexible polyurethane foams as templates for cellular glass-ceramics. *Journal of Materials Processing Technology*, v. 209, p. 5313-5318, 2009.
- 175 MARTÍNEZ, J. D. ; PINEDA, T. G. ; JUNKES, J. A. ; **HOTZA, D.** . Caracterização de cinza obtida por combustão de casca de arroz em reator de leito fluidizado. *Química Nova (Impresso)*, v. 32, p. 1110-1114, 2009.
- 176 SILVA, H. C. ; SOUZA, F. A. C. ; SILVA, N. S. ; **HOTZA, D.** . Otimização de fórmulas de massas cerâmicas de faiança. *Cerâmica Industrial*, v. 14, p. 27-32, 2009.
- 177 SENFF, L. ; BARBETTA, P. A. ; REPETTE, W. L. ; **HOTZA, D.** ; PAIVA, H. ; FERREIRA, V. M. ; LABRINCHA, J. A. . Mortar composition defined according to rheometer and flow table tests using factorial designed experiments. *Construction & Building Materials*, v. 23, p. 3107-3111, 2009.
- 178 HOTZA, D.; LEO, A. ; SUNARSO, J. ; DA COSTA, J. C. D. . Effect of nano-Al<sub>2</sub>O<sub>3</sub> addition on the densification of YSZ electrolytes. *Journal of Nano Research (Online)*, v. 6, p. 115-122, 2009.
- 179 SENFF, L. ; **HOTZA, D.** ; REPETTE, W. L. ; FERREIRA, V. M. ; LABRINCHA, J. A. . Influence of added nanosilica and/or silica fume on fresh and hardened properties of mortars and cement pastes. *Advances in Applied Ceramics (Print)*, v. 108, p. 418-428, 2009.
- 180 GUIOTOKU, M. ; RAMBO, C. R. ; HANSEL, F.A. ; MAGALHÃES, W. L. E. ; **HOTZA, D.** . Microwave-assisted hydrothermal carbonization of lignocellulosic materials. *Materials Letters (General ed.)*, v. 63, p. 2707-2709, 2009.
- 181 MULLER, D. ; ACCHAR, W. ; SILVA, G. M. C. ; MOREIRA, E. A. ; COURY, J. R. ; INNOCENTINI, M. D. M. ; **HOTZA, D.** ; RAMBO, C. R. . Processamento e caracterização de filtros cerâmicos fibrosos. *Cerâmica (São Paulo. Impresso)*, v. 55, p. 318-325, 2009.
- 182 BONETTI, A. N. ; TOMELIN, J. C. ; ALARCON, O. E. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Desenvolvimento de porcelana quartzosa para isoladores elétricos de alta tensão. *Exacta (Online)*, v. 7, p. 187-194, 2009.
- 183 VIEIRA JR, L. E. ; RODRIGUES NETO, J. B. ; **HOTZA, D.** ; KLEIN, A. N. . Compósitos de matriz metálica reforçados pela dispersão de partículas cerâmicas produzidos por mecanossíntese: uma revisão. *Exacta (Online)*, v. 7, p. 195-204, 2009.
- 184 MORENO, V. ; ESCOBAR, J. A. ; ÁLVAREZ, O. A. ; RAMBO, C. R. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Produção e caracterização de espumas macrocelulares de alumina para aplicação em queimadores radiantes. *Exacta (Online)*, v. 7, p. 205-214, 2009.
- 185 HOTZA, D.. Prototipagem rápida de pilhas a combustível de óxido sólido. *Materia (UFRJ)*, v. 14, p. 1101-1113, 2009.
- 186 SARMIENTO, A. F. ; MONTES, A. M. ; HOTZA, D. ; OLIVEIRA, A. P. N. ; ESCOBAR, J. A. . Design and fabrication of cellular glass ceramics structures for filtering combustion gases of diesel engines. *Revista Latinoamericana de Metalurgia y Materiales*, v. S1, p. 353-363, 2009.
- 187 SOUSA, E. ; RAMBO, C. R. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. ; FEY, T. ; GREIL, P.. Microstructure and properties of LZSA glass-ceramic foams. *Materials Science & Engineering. A, Structural Materials: Properties, Microstructure and Processing*, v. 476, p. 89-97, 2008.

- 188 AL-QURESHI, H. A. ; SOARES, M. R. F. ; **HOTZA, D.** ; ALVES, M. C. ; KLEIN, A. N. . Analyses of the fundamental parameters of cold die compaction of powder metallurgy. *Journal of Materials Processing Technology*, v. 199, p. 417-424, 2008.
- 189 CORREIA, S. L. ; **HOTZA, D.** ; SEGADÃES, A. M. . Predicting porosity content in triaxial porcelain bodies as a function of raw materials contents. *Journal of Materials Science*, v. 43, p. 696-701, 2008.
- 190 GOMES, C. M. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; TRAVITZKY, N. ; GREIL, P. . LZSA glass-ceramic laminates: Fabrication and mechanical properties. *Journal of Materials Processing Technology*, v. 206, p. 194-201, 2008.
- 191 DE NONI JR, A. ; **HOTZA, D.** ; CANTAVELLA, V. ; SÃNCHEZ, E. J. . Influence of macroscopic residual stresses on the mechanical behavior and microstructure of porcelain tile. *Journal of the European Ceramic Society*, v. 28, p. 2463-2469, 2008.
- 192 HOTZA, D.; DELLA, V. P. ; JUNKES, J. A. ; RAMBO, C. R. . Síntese do pigmento cerâmico verde vitória ( $\text{Ca}_3\text{Cr}_2\text{Si}_3\text{O}_{12}$ ) a partir de  $\text{CaCO}_3$ ,  $\text{Cr}_2\text{O}_3$  e  $\text{SiO}_2$ . *Química Nova (Impresso)*, v. 31, p. 1004-1007, 2008.
- 193 HOTZA, D.; PILUSKI, J. E. A. ; Caracterização de bauxita ativada antes e depois da saturação com óleo mineral isolante. *Química Nova (Impresso)*, v. 31, p. 1165-1169, 2008.
- 194 SARTOR, M. N. ; CORREIA, S. L. ; **HOTZA, D.** ; SEGADÃES, A. M. ; LABRINCHA, J. A. ; OLIVEIRA, A. P. N. . Aluminum anodizing sludge used to fabricate engobes, glazes and frits. *American Ceramic Society Bulletin*, v. 87, p. 9201-9206, 2008.
- 195 **HOTZA, D.**; DA COSTA, J. C. D. . Fuel cells development and hydrogen production from renewable resources in Brazil. *International Journal of Hydrogen Energy*, v. 33, p. 4915-4935, 2008.
- 196 CASAGRANDE, M. C. ; SARTOR, M. N. ; GOMES, V. ; DELLA, V. P. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Reaproveitamento de resíduos sólidos industriais: processamento e aplicações no setor cerâmico. *Cerâmica Industrial (Impresso)*, v. 13, p. 34-42, 2008.
- 197 DONADEL, K. ; GOMES, J. M. ; RAMBO, C. R. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Processamento e caracterização de espumas cerâmicas de microfibras naturais de sílica amorfada obtidas pelo método de réplica. *Exacta (Online)*, v. 6, p. 41-47, 2008.
- 198 MULLER, D. ; RAMBO, C. R. ; INNOCENTINI, M. D. M. ; MOREIRA, E. A. ; SILVA, G. M. C. ; COURY, J. R. ; **HOTZA, D.** . Filtros cerâmicos fibrosos para gases a alta temperatura. *Exacta (Online)*, v. 6, p. 49-56, 2008.
- 199 BERTI, L. F. ; RAMBO, C. R. ; REIMBRECHT, E. G. ; BAZZO, E. ; **HOTZA, D.** . Produção e caracterização de elementos porosos cerâmicos para evaporadores capilares. *Exacta (Online)*, v. 6, p. 57-64, 2008.
- 200 SANTOS, D. ; SILVA, J. E. ; MACHADO, R. A. F. ; **HOTZA, D.** . Controle e automação na indústria cerâmica: estudo de caso na fabricação de porcelanato no Brasil. *Cerâmica Industrial*, v. 13, p. 23-30, 2008.
- 201 MONTEDO, O. R. K. ; BERTAN, F. M. ; PICCOLI, R. ; **HOTZA, D.** ; KLEIN, A. N. ; OLIVEIRA, A. P. N. . Low thermal expansion sintered LZSA glass-ceramics. *American Ceramic Society Bulletin*, v. 87, p. 34-40, 2008.
- 202 CORREIA, S. L. ; SOUZA, F. L. ; DIENSTMANN, G. ; FOLGUERAS, M. V. ; **HOTZA, D.** . Use of aggregates from recycled concrete mixer trucks waste in concrete. *Materials Science Forum*, v. 591, p. 854-859, 2008.
- 203 CORREIA, S. L. ; DIENSTMANN, G. ; FOLGUERAS, M. V. ; **HOTZA, D.** . An optimisation of scrap agate powder contents in triaxial ceramic bodies using mathematical and statistical strategies. *Materials Science Forum*, v. 591, p. 679-684, 2008.
- 204 DE NONI JR, A. ; **HOTZA, D.** ; CANTAVELLA, V. ; SÃNCHEZ, E. J. . Analysis of the development of microscopic residual stresses on quartz particles in porcelain tile. *Journal of the European Ceramic Society*, v. 28, p. 2629-2637, 2008.
- 205 REITZ, G. M. ; MONTEDO, O. R. K. ; COMINI, E. ; MUNDSTOCK, K. B. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Revestimentos obtidos por laminação de pós de precursor vitrocerâmico do sistema LZSA. *Cerâmica Industrial*, v. 13, p. 28-32, 2008.
- 206 FONTANELLA, C. A. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Recobrimentos poliméricos hidrofóbicos sobre isoladores elétricos de porcelana. *Matéria (UFRJ)*, v. 13, p. 624-635, 2008.
- 207 CORREIA, S. L. ; DIENSTMANN, G. ; FOLGUERAS, M. V. ; **HOTZA, D.** . Use of scrap agate as filler in triaxial porcelain bodies through mixture design and response surface analysis. *American Ceramic Society Bulletin*, v. 86, p. 9401-9409, 2007.
- 208 DAL BÓ, M. ; BARBETTA, P. A. ; **HOTZA, D.** . Utilização de resíduos da indústria de revestimentos cerâmicos na fabricação de refratários triaxiais. *Cerâmica Industrial*, v. 12, p. 42-46, 2007.

- 209 DELLA, V. P. ; JUNKES, J. A. ; MONTEDO, O. R. K. ; OLIVEIRA, A. P. N. ; RAMBO, C. R. ; **HOTZA, D.** . Synthesis of hematite from steel scrap to produce ceramic pigments. American Ceramic Society Bulletin, v. 86, p. 9101-9108, 2007.
- 210 HOTZA, D.; SILVEIRA, C. B. ; ESCOBAR, J. A. ; QUINTERO, M. W. ; SOUSA, E. ; MORAES, E. G. ; OLIVEIRA, A. P. N. ; RAMBO, C. R. . Decomposição térmica de espumas de poliuretano para fabricação de vitrocerâmica celular de Li<sub>2</sub>O-ZrO<sub>2</sub>-SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> (LZSA). Química Nova (Impresso), v. 30, p. 1104-1107, 2007.
- 211 WIGGERS, W. S. ; SANTOS, R. A. ; **HOTZA, D.** . Evolução da superfície do porcelanato ao longo do processo de polimento. Cerâmica Industrial, v. 12, p. 27-30, 2007.
- 212 DE NONI JR, A. ; **HOTZA, D.** ; CANTAVELLA, V. ; SÁNCHEZ, E. J. . Influencia del enfriamiento de la etapa de cocción sobre las propiedades mecánicas del gres porcelánico. Boletín de la Sociedad Española de Cerámica y Vidrio, v. 46, p. 163-170, 2007.
- 213 HOTZA, D.. Etimologia e uso em diferentes línguas de alguns termos técnicos empregados na fabricação cerâmica tradicional. Cerâmica Industrial, v. 12, p. 17-21, 2007.
- 214 HOTZA, D.. Análise comparativa de três traduções do texto de Schleiermacher. Scientia Traductionis, v. 3, p. 1-16, 2007.
- 215 RAUPP-PEREIRA, F. ; SILVA, L. ; SEGADÃES, A. M. ; **HOTZA, D.** ; LABRINCHA, J. A. . Potable water filtration sludge: Use as set retarder in one-coat plastering mortars. Construction & Building Materials, v. 21, p. 646-653, 2007.
- 216 VENDRÚSCULO, A. T. ; **HOTZA, D.** ; GOMES, C. M. ; QUADRI, M. G. N. . Rheology of star fruit pulp (*Averrhoa carambola* L.). Applied Rheology, v. 16, n.1, p. 26-31, 2006.
- 217 GOMES, C. M. ; OLIVEIRA, A. P. N. ; ALARCON, O. E. ; **HOTZA, D.** . Linear programming used to minimize cost in wet processing of triaxial ceramics. American Ceramic Society Bulletin, v. 85, n.4, p. 9101-9106, 2006.
- 218 ACCHAR, W. ; VIEIRA, F. A. ; **HOTZA, D.** . Effect of marble and granite sludge in clay materials. Materials Science & Engineering. A, Structural Materials: Properties, Microstructure and Processing, v. 419, n.1-2, p. 306-309, 2006.
- 219 RAUPP-PEREIRA, F. ; **HOTZA, D.** ; SEGADÃES, A. M. ; LABRINCHA, J. A. . Ceramic formulations prepared with industrial wastes and natural sub-products. Ceramics International, v. 32, n.2, p. 173-179, 2006.
- 220 JUNKES, J. A. ; DELLA, V. P. ; ACCHAR, W. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Obtaining amorphous silica from acid-leached, calcined rice husk. Industrial Ceramics, v. 26, n.1, p. 11-15, 2006.
- 221 CORREIA, S. L. ; GRUN, E. ; DENARDI, C. D. ; **HOTZA, D.** ; FOLGUERAS, M. V. . Using experiments design to model the effect of raw materials on the sintering and technological properties of brick compositions. Materials Science Forum, v. 514, n.AMF3 1-2, p. 1424-1428, 2006.
- 222 GOMES, C. M. ; BISCAIA, F. N. ; QUINAUD, J. T. ; MONTEDO, O. R. K. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Aqueous tape casting of LZSA glass ceramics. Ceramic Transactions, v. 193, n.PACRIM6, p. 9-16, 2006.
- 223 SOUSA, E. ; RAMBO, C. R. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. ; FEY, T. . Low-temperature sintered LZSA cellular glass ceramics. Ceramic Transactions, v. 193, n.PACRIM6, p. 49-57, 2006.
- 224 FRANCO, O. C. ; HOTZA, D.. Determinação do teor ótimo de zirconita em massa de grés porcelânico. Cerâmica Industrial, v. 11, n.1, p. 22-27, 2006.
- 225 CORREIA, S. L. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; SEGADÃES, A. M. . Properties of triaxial porcelain bodies: Interpretation of statistical modeling. Journal of the American Ceramic Society, v. 89, p. 3356-3365, 2006.
- 226 RAMBO, C. R. ; SOUSA, E. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; GREIL, P. . Processing of cellular glass ceramics. Journal of the American Ceramic Society, v. 89, p. 3373-3378, 2006.
- 227 CORREIA, S. L. ; GRUN, E. ; DENARDI, C. D. ; **HOTZA, D.** ; FOLGUERAS, M. V. . Effects of raw materials on the technological properties of brick compositions using a statistical design approach. Materials Science Forum, v. 530, p. 486-491, 2006.
- 228 REITZ, G. M. ; MONTEDO, O. R. K. ; ALARCON, O. E. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Roll pressed LZSA glass-ceramics. Advances in Science and Technology (CD-ROM), v. 45, p. 442-446, 2006.
- 229 RAMBO, C. R. ; JUNKES, J. A. ; SIEBER, H. ; **HOTZA, D.** . Biomorphous ceramics as porous supports for zeolite coating. Exacta (Online), v. 4, p. 297-308, 2006.
- 230 DE NONI JR, A. ; MODESTO, C. O. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Dimensional modeling and control of ceramic tile. American Ceramic Society Bulletin, v. 85, p. 9201-9207, 2006.
- 231 SOUSA, E. ; RAMBO, C. R. ; MONTEDO, O. R. K. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Vitrócerâmicas porosas do sistema LZSA utilizando resíduos orgânicos como agentes formadores de poros. Exacta (Online), v. 4, p. 289-298, 2006.

- 232 GOMES, C. M. ; OLIVEIRA, A. P. N. ; AL-QURESHI, H. A. ; **HOTZA, D.** ; TRAVITZKY, N. ; GREIL, P. . LZSA laminates fabrication and mechanical properties. *Ceramika*, v. 97, p. 95-107, 2006.
- 233 JUNKES, J. A. ; DELLA, V. P. ; ACCHAR, W. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Ottenimento di silice amorfa a partire da pula di riso mediante estrazione. *Ceramurgia + Ceramica Acta*, v. 36, p. 141-145, 2006.
- 234 HOTZA, D. ; DELLA, V. P. ; JUNKES, J. A. ; OLIVEIRA, A. P. N. . Estudo comparativo entre sílica obtida por lixívia ácida da casca de arroz e sílica obtida por tratamento térmico da cinza de casca de arroz. *Química Nova (Impresso)*, v. 29, p. 1175-1179, 2006.
- 235 SOUSA, E. ; SILVEIRA, C. B. ; FEY, T. ; GREIL, P. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . LZSA glass ceramic foams prepared by replication process. *Advances in Applied Ceramics (Print)*, v. 104, n.1, p. 22-29, 2005.
- 236 CORREIA, S. L. ; **HOTZA, D.** ; SEGADÃES, A. M. . Application of mathematical and statistical strategies to optimize ceramic bodies: Effects of raw materials on the technological properties. *CFI Ceramic Forum International*, v. 82, n.1-2, p. E-39-E-43, 2005.
- 237 CORREIA, S. L. ; **HOTZA, D.** ; SEGADÃES, A. M. . Optimising mechanical strength and bulk density of dry ceramic bodies through mixture design. *Boletín de la Sociedad Española de Cerámica y Vidrio*, v. 44, n.1, p. 53-58, 2005.
- 238 DELLA, V. P. ; KUHN, I. ; **HOTZA, D.** . Reciclagem de resíduos agro-industriais: cinza de casca de arroz como fonte alternativa de sílica. *Cerâmica Industrial*, v. 10, n.2, p. 22-25, 2005.
- 239 SILVA, J. B. ; VIEIRA, F. A. ; ACCHAR, W. ; **HOTZA, D.** ; SEGADÃES, A. M. . Sintering of a clay material with granite and marble reject. *Materials Science Forum*, v. 498, n.APT 4, p. 558-563, 2005.
- 240 GOMES, C. M. ; DE NONI JR, A. ; REIS, J. P. ; SOUZA, J. A. R. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Wet processing of triaxial ceramics using a mixture design approach. *Materials Science Forum*, v. 498, n.APT 4, p. 476-481, 2005.
- 241 NARDI, J. V. ; **HOTZA, D.** . Methodology for prediction of desired mechanical properties as a function of mixture components. *Materials Science Forum*, v. 498, n.APT 4, p. 459-463, 2005.
- 242 CORREIA, S. L. ; CURTO, K. A. S. ; **HOTZA, D.** ; SEGADÃES, A. M. . Clays from southern Brazil: physical, chemical and mineralogical characterization. *Materials Science Forum*, v. 498, n.APT 4, p. 447-452, 2005.
- 243 CORREIA, S. L. ; CURTO, K. A. S. ; SEGADÃES, A. M. ; **HOTZA, D.** . Using experiments design to model linear firing shrinkage of triaxial ceramic bodies. *Materials Science Forum*, v. 498, n.APT 4, p. 430-435, 2005.
- 244 ACCHAR, W. ; RAMALHO, E. G. ; FONSECA, Y. A. ; **HOTZA, D.** ; SEGADÃES, A. M. . Using granite rejects to aid densification and improve mechanical properties of alumina bodies. *Journal of Materials Science*, v. 40, n.15, p. 3905-3909, 2005.
- 245 SILVEIRA, C. B. ; SOUSA, E. ; MORAES, E. G. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; FEY, T. ; GREIL, P. . Characterisation of LZSA glass ceramics filters obtained by the replication method. *Ceramic Engineering and Science Proceedings*, v. 26, n.8, p. 53-59, 2005.
- 246 CORREIA, S. L. ; GOMES, C. M. ; **HOTZA, D.** ; SEGADÃES, A. M. . A non-linear programming approach for formulation of three-component ceramics as a function of physical and mechanical properties. *Ceramic Engineering and Science Proceedings*, v. 26, n.2, p. 219-224, 2005.
- 247 GUIOTOKU, M. ; LEMES, P. ; GOMES, C. M. ; VALENTE, C. A. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Formulation of additives for water-based tape casting of ceramics. *Ceramic Engineering and Science Proceedings*, v. 26, n.2, p. 213-218, 2005.
- 248 GIASSI, L. ; MONTEDO, O. R. K. ; **HOTZA, D.** ; FREDEL, M. C. ; OLIVEIRA, A. P. N. . Injection moulding of Li<sub>2</sub>O-ZrO<sub>2</sub>-SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> (LZSA) glass ceramics. *Glass Technology (Cessou em 2005. Fundiu-se com ISSN 0031-9090, 0946-7475, 1753-3546 e 1753-3562)*, v. 46, n.3, p. 277-280, 2005.
- 249 VARELA, M. L. ; NASCIMENTO, R. M. ; MARTINELLI, A. E. ; **HOTZA, D.** ; MELO, D. M. A. ; MELO, M. A. F. . Otimização de uma metodologia para análise mineralógica racional de argilominerais. *Cerâmica (São Paulo. Impresso)*, v. 51, n.320, p. 388-392, 2005.
- 250 GOMES, C. M. ; REIS, J. P. ; LUIZ, J. F. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Deflocação de massas cerâmicas triaxiais obtidas a partir do delineamento de misturas. *Cerâmica (São Paulo. Impresso)*, v. 51, n.320, p. 336-342, 2005.
- 251 SILVA, J. B. ; **HOTZA, D.** ; SEGADÃES, A. M. ; ACCHAR, W. . Incorporação de lama de mármore e granito em massas argilosas. *Cerâmica (São Paulo. Impresso)*, v. 51, n.320, p. 325-330, 2005.
- 252 DELLA, V. P. ; JUNKES, J. A. ; KUHN, I. ; RIELLA, H. G. ; **HOTZA, D.** . Utilização do subproduto da recuperação metálica de escórias de aços inoxidáveis na síntese de pigmentos cerâmicos; caracterização da matéria-prima. *Cerâmica (São Paulo. Impresso)*, v. 51, n.318, p. 111-116, 2005.

- 253 CORREIA, S. L. ; **HOTZA, D.** ; SEGADÃES, A. M. . Otimização da resistência mecânica de corpos cerâmicos em função de matérias-primas e restrições de propriedades tecnológicas. Cerâmica (São Paulo. Impresso), v. 51, n.319, p. 230-238, 2005.
- 254 GIASI, L. ; **HOTZA, D.** ; ALARCON, O. E. ; FREDEL, M. C. ; OLIVEIRA, A. P. N. . Sintering and crystallization of LZSA glass powder compacts formed by injection molding. American Ceramic Society Bulletin, v. 84, p. 9301-9307, 2005.
- 255 NARDI, J. V. ; ACCCHAR, W. ; **HOTZA, D.** . Enhancing the properties of ceramic products through mixture design and response surface analysis. Journal of the European Ceramic Society, Oxford, v. 24, n.2, p. 375-379, 2004.
- 256 NARDI, J. V. ; **HOTZA, D.** . Determination of composition of pozzolanic waste mixtures with optimized compressive strength. Materials Research (São Carlos. Impresso), v. 7, n.2, p. 373-375, 2004.
- 257 CORREIA, S. L. ; **HOTZA, D.** ; SEGADÃES, A. M. . Effect of raw materials on linear shrinkage. American Ceramic Society Bulletin, v. 83, n.8, p. 9101-9108, 2004.
- 258 MONTEDO, O. R. K. ; REITZ, G. M. ; BERTAN, F. M. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; SILIGARDI, C. . Extruded LZS glass-ceramics. American Ceramic Society Bulletin, v. 83, n.8, p. 9201-9206, 2004.
- 259 CORREIA, S. L. ; CURTO, K. A. S. ; **HOTZA, D.** ; SEGADÃES, A. M. . Using statistical techniques to model the flexural strength of dried triaxial ceramic bodies. Journal of the European Ceramic Society, Oxford, v. 24, n.9, p. 2813-2818, 2004.
- 260 CORREIA, S. L. ; **HOTZA, D.** ; SEGADÃES, A. M. . Simultaneous optimization of linear firing shrinkage and water absorption of triaxial ceramic bodies using experiments design. Ceramics International, Oxford, v. 30, n.6, p. 917-922, 2004.
- 261 GOMES, C. M. ; DE NONI JR, A. ; REIS, J. P. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Using mixture design to optimize the amount of deflocculant in triaxial ceramic suspensions. American Ceramic Society Bulletin, v. 83, n.11, p. 9301-9304, 2004.
- 262 SILVA, H. C. ; SILVA, N. S. ; **HOTZA, D.** . Influência do quartzo na deformação piroplástica de porcelanas triaxiais. Cerâmica Industrial, v. 9, n.5-6, p. 42-46, 2004.
- 263 CORREIA, S. L. ; **HOTZA, D.** ; SEGADÃES, A. M. . Uso de técnicas de planejamento experimental e programação não linear para otimização de massas cerâmicas triaxiais. Matéria (UFRJ), v. 9, n.4, p. 271-279, 2004.
- 264 OLIVEIRA, A. P. N. ; GOMES, V. ; **HOTZA, D.** ; MONTEDO, O. R. K. ; PICCOLI, R. ; RAUPP-PEREIRA, F. . Aluminum rich sludge as raw material for the ceramic industry. Interceram, v. 52, n.1, p. 44-46, 2003.
- 265 SCHABBACH, L. M. ; OLIVEIRA, A. P. N. ; FREDEL, M. C. ; **HOTZA, D.** . Seven-component lead-free frit formulation. American Ceramic Society Bulletin, v. 82, n.4, p. 47-50, 2003.
- 266 DELLA, V. P. ; KUHN, I. ; **HOTZA, D.** . Processing and characterization of active silica obtained from rice husk ash. Materials Science Forum, v. 416, n.APT3, p. 531-536, 2003.
- 267 NARDI, J. V. ; **HOTZA, D.** . Mixture design and response surface analysis of pozzolanic products. Materials Science Forum, v. 416, n.APT3, p. 537-542, 2003.
- 268 COELHO, C. ; **HOTZA, D.** ; ROQUEIRO, N. . Quantitative phase analysis of ceramic raw materials using a non-negative least squares routine. Materials Science Forum, v. 416, n.APT3, p. 748-752, 2003.
- 269 FERNANDES, P. F. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Reciclagem do lodo da estação de tratamento de efluentes de uma indústria de revestimentos cerâmicos. Parte 1: ensaios laboratoriais. Cerâmica Industrial, v. 8, n.2, p. 26-34, 2003.
- 270 RAUPP-PEREIRA, F. ; OLIVERA, A. P. N. ; DE NONI JR, A. ; **HOTZA, D.** ; SEGADÃES, A. M. ; LABRINCHA, J. A. . Rheological behaviour of clay-based slurries: effect of the preparation methods - (Lab-scale or typical industrial procedures). Industrial Ceramics, Faenza, v. 23, n.2, p. 87-92, 2003.
- 271 MONTEDO, O. R. K. ; REITZ, G. M. ; BERTAN, F. M. ; PICCOLI, R. ; **HOTZA, D.** ; OLIVEIRA, A. P. N. . Utilização de pó de aciaria em massa de cerâmica vermelha. Cerâmica Industrial, São Paulo, v. 8, n.5/6, p. 14-17, 2003.
- 272 FERNANDES, P. F. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** . Reciclagem do lodo da estação de tratamento de efluentes de uma indústria de revestimentos cerâmicos. Parte 2: ensaios industriais. Cerâmica Industrial, v. 8, n.4, p. 26-32, 2003.
- 273 COELHO, C. ; ROQUEIRO, N. ; **HOTZA, D.** . Rational mineralogical analysis of ceramics. Materials Letters (General ed.), v. 52, n.6, p. 394-398, 2002.
- 274 DE NONI JR, A. ; GARCIA, D. E. ; **HOTZA, D.** . A modified model for the viscosity of ceramic suspensions. Ceramics International, v. 28, n.7, p. 731-735, 2002.
- 275 DELLA, V. P. ; KUHN, I. ; **HOTZA, D.** . Rice husk ash as an alternate source for active silica production. Materials Letters (General ed.), v. 57, n.4, p. 818-821, 2002.

- 276 ROSA, F. G. ; FOLGUERAS, M. V. ; LONGO, A. L. ; **HOTZA, D.** ; CECHENEL, A. ; OLIVEIRA, A. P. N. ; ALARCON, O. E. . Characterization of industrial wastes for use in composition of ceramic bodies. *Tile & Brick International*, v. 18, n.1, p. 20-23, 2002.
- 277 GOMES, V. ; **HOTZA, D.** ; PICCOLI, R. ; OLIVEIRA, A. P. N. ; MONTEDO, O. R. K. ; LABRINCHA, J. A. ; SEGADÃES, A. M. . Resíduo de anodização de alumínio como matéria prima para a indústria cerâmica. *Cerâmica Informação*, v. 23, n.jul/ago, p. 48-50, 2002.
- 278 SCHABBACH, L. M. ; FREDEL, M. C. ; **HOTZA, D.** . Three-component lead borosilicate frit. *American Ceramic Society Bulletin*, v. 80, n.7, p. 57-63, 2001.
- 279 COELHO, C. ; ROQUEIRO, N. ; **HOTZA, D.** . Quantitative mineralogical analysis of ceramic raw materials: An alternative approach. *Journal of Materials Science Letters* (Cessou em 2003), v. 20, n.11, p. 1041-1042, 2001.
- 280 DELLA, V. P. ; **HOTZA, D.** ; KUHN, I. . Caracterização de cinza de casca de arroz para uso como matéria-prima na fabricação de refratários de sílica. *Química Nova (Impresso)*, v. 24, n.6, p. 778-782, 2001.
- 281 SCHABBACH, L. M. ; FREDEL, M. C. ; **HOTZA, D.** . Formulação de fritas cerâmicas por delineamento de misturas. *Cerâmica Informação*, v. 3, n.9, p. 56-59, 2000.
- 282 DE NONI JR, A. ; **HOTZA, D.** ; GARCIA, D. E. . Metodologia de resolução de problemas de defeitos em revestimento cerâmico: um estudo de caso. *Cerâmica Industrial*, v. 5, n.5, p. 19-22, 2000.
- 283 ROSA, F. G. ; FOLGUERAS, M. V. ; LONGO, A. L. ; CECHENEL, A. ; OLIVEIRA, A. P. N. ; **HOTZA, D.** ; ALARCON, O. E. . Caracterização de resíduos industriais para uso na composição de massas cerâmicas. *Cerâmica Informação*, v. 3, n.8, p. 30-34, 2000.
- 284 HOTZA, D.; FREDEL, M. C. ; RODRIGUES NETO, J. B. ; ALARCON, O. E. . Influência da adição de defloculante, ligante e partículas de alumina no comportamento reológico de suspensões a base de frita e caulim. *Química Nova (Impresso)*, v. 21, n.4, p. 526-528, 1998.
- 285 HOTZA, D.. Artigo revisão: colagem de folhas cerâmicas. *Cerâmica (São Paulo. Impresso)*, v. 43, n.283/284, p. 159-166, 1997.
- 286 MACHADO, P. P. ; **HOTZA, D.** ; PETTER, C. ; BERGMANN, C. P. . Controle de qualidade para revestimentos cerâmicos através da análise colorimétrica de superfície vidrada monocromática. *Cerâmica Industrial*, v. 2, n.3/4, p. 51-54, 1997.
- 287 HOTZA, D.; JANSEN, R. ; CLAUSSSEN, N. ; GREIL, P. . Tape casting of aluminum nitride and alumina ceramics in aqueous media. *Cerâmica*, v. 42, n.278, p. 853-856, 1996.
- 288 HOTZA, D.; SAHLING, O. ; GREIL, P. . Hydrophobing of aluminium nitride powders. *Journal of Materials Science*, v. 30, n.1, p. 127-132, 1995.
- 289 HOTZA, D.; JANSEN, R. ; CLAUSSSEN, N. ; GREIL, P. . Hydrophobic aluminum nitride powder for aqueous tape casting. *Ceramic Transactions*, v. 51, n.ICC5, p. 397-401, 1995.
- 290 **HOTZA, D.**; GREIL, P. . Review: aqueous tape casting of ceramic powders. *Materials Science & Engineering. A, Structural Materials: Properties, Microstructure and Processing*, v. 202, n.11, p. 206-217, 1995.
- 291 GREIL, P. ; KULIG, M. ; **HOTZA, D.** ; LANGE, H. ; TISCHTAU, R. . Aluminium nitride ceramics with high thermal conductivity from gas-phase synthesized powders. *Journal of the European Ceramic Society*, v. 13, n.3, p. 229-237, 1994.
- 292 HOTZA, D.; GREIL, P. . Hydrophobierung von Aluminiumnitrid. *CFI. Ceramic Forum International*, v. 9, n.5, p. 107-122, 1994.